



### Backhoe Loaders

Model	Net Power hp	Operating Weight (lbs)	Dig Depth ft
416F	87	24251	14.3
420F/420F IT	93	24251	14.3
430F/430F IT	107	24,251	15.41
450F	127	27115	17.2

### Skid Steer Loaders

Model	Gross Power hp	Operating Weight lbs	Operating Capacity lbs
226D	67.1	5,705	1,550
232D	67.1	6,213	1,850
236D	74.3	6,559	1,800
242D	74.3	6,980	2,150
246D	74.3	7,424	2,150
262D	74.3	8,011	2,700



### Multi Terrain Loaders



Model	Net Power hp	Operating Weight lb
247B Series 3	56	6997
257D	73.2	8048
277D	72.9	9293
287D	42.9	9929
297D	95	10,120
279D XHP	106	10,814

\* - Cat engine with ACERT technology

### Compact Track Loaders

Model	Net Power hp	Operating Weight lbs	Operating Capacity 50% tipping load (lbs)	Ground contact area (psi)
239D	65.8	7,289	2,050	5.3
249D	65.8	7,685	2,300	5.6
259D	73.2	8,945	2,900	4.8
279D	73.7	9,893	2,935	4.8
289D	72.9	10,533	3,800	4.6
299D	95	10,718	4,250	4.4
299D XHP	106	11,612	4,650	5.3



### Integrated ToolCarriers

Model	Net Power		Operating Weight		Bucket Range	
	hp	kW	lb	kg	yd3	m3
IT14G2	98	72	18,632	8450	1.6-1.8	1.2-1.4



## Wheel Loaders

Model	Net Power hp	Operating Weight lbs	Bucket Capacity yd3
<b>Compact</b>			
906H2	69	12,412	1.18
907H2	69	12,809	1.3
908H2	69	14,253	1.4
914G	95	17,530	1.7
914G2	95	17,530	1.7
IT14G	95	18,632	1.7
IT14G2	95	18,632	1.7
<b>Small</b>			
924K2	141	28,360	2.5-6.5
930K	154	30,479	2.7-6.5
938K	169	35,104	3.2-6.5
<b>Mid-Size</b>			
950K	211	42,811	3.25-12
962K	221	45,055	3.25-12
966K	267	53,311	3.25-12
972K	288	57,770	3.75-13
980K	369	68,862	4.0-12.20



## Telehandlers



Model	Power hp	Operating Weight lbs	Rated Capacity lbs	Lift Height (stabilizers down) ft-in
TH255C	74	11,000	5,500	18.37
TH406C	101	18,364	8,150	20
TH407C	101	19,246	8,150	24
TH514C	101	24,890	11,021	45
TL1055C	142.1	34,160	10,000	55.1
TL1255C	142.1	35,860	12,000	54.3
TL642C	99	21,245	6,500	42

## Excavators

Model	Net Power hp	Operating Weight lb	Dig Depth ft-in
<b>Mini Excavators</b>			
300.9D	13	2,060	8
301.4C	17.7	3,417	10.4
301.7D	17.7	3,810	10.4
301.7D CR	17.7	3,726	15
302.2D	17.9	4,464	14
302.4D	17.7	5,115	13
302.7D CR	20.7	5,886	16.5
303.5E CR	31.6	7,734	7.7-8.2+
304E CR	40	8,497	8.0-8.4+
305.5E CR	44.2	11,618	7.7-9.0+
305E CR	40.2	10,836	7.6-8.8+
308E2 CR SB	65	18,519	14.2

+ standard or extended stick

Model	Net Power hp	Operating Weight lb	Engine
<b>Small Excavators</b>			
312E	91	33,080	Cat C4.4 ACERT
314E CR	89	32,600	Cat C4.4 ACERT
316E	113	38,801	Cat C4.4 ACERT
318E	113	40,010	Cat C4.4 ACERT
319D L/LN	125	44,225	Cat C4.2 ACERT'



<b>Small Excavators</b>			
312E	91	33,080	Cat C4.4 ACERT
314E CR	89	32,600	Cat C4.4 ACERT
316E	113	38,801	Cat C4.4 ACERT
318E	113	40,010	Cat C4.4 ACERT
319D L/LN	125	44,225	Cat C4.2 ACERT'

<b>Medium Excavator</b>			
320E L	153	54,450	Cat C6.6 ACERT
320E LRR	153	56,440	Cat C6.6 ACERT
321D LCR	148	51,875	Cat C6.4 ACERT
323D L	150	50,706	Cat C6.4 ACERT
323D L/LN	150	52,910	Cat C6.4 ACERT
324D/324 D L	166	56,400	Cat C7 ACERT
324E	190	64,990	Cat C7.1 ACERT
328D LCR	204	87,850	Cat C7 ACERT
329D/329D L	204	64,500	Cat C7 ACERT
329E	228	689,580	Cat C7.1 ACERT

<b>Large Excavators</b>			
330D L/LN	268	82,673	Cat C9 ACERT
336D/D L Series 2	268	81,761	Cat C9
336E L	300	86,200	Cat C9.3 (ATAAC)
336E H Hybrid	286	82,000	Cat C9.3 (ATAAC)
349E	396	117,500	Cat C13 ACERT
374D L	476	156,819	Cat C15 ACERT
390D L	523	190,016	Cat C18 ACERT



### Track Type Tractors

Model	Power		Operating Weight		Blade
	hp	kW	lb	kg	
D3K2 XL	80.0	59.7	17,544	7958	VPAT
D3K2 LGP	80.0	59.7	18,525	8403	VPAT
D4K2 XL	92.0	68.8	18,080	8201	VPAT
D4K2 LGP	92.0	68.8	18,761	8510	VPAT
D5K2 XL	104.0	77.6	20,534	9314	VPAT
D5K2 LGP	104.0	77.6	21,266	9646	VPAT
D6K XL	125.0	93.2	28,409	12 886	VPAT
D6K LGP	125.0	93.2	29,690	13 467	VPAT
D6N XL	150.0	112	36,392	16 507	VPAT, SU
D6N LGP	150.0	112	39,895	18 096	VPAT
D6T XL/XW/LGP	205.0	153	46,158-54,165	20 937-24 569	S, SU, A, VPAT
D7E STD	235.0	175	56,669-57,771	25 700-26 055	S, SU, U, A
D7E LGP	235.0	175	62,115-62,886	28 170-28 525	S
D8T STD/LGP	310.0	231	87,733-89,210	39 795-40 465	SU, U, A
D9T	410.0	306	110,447	50 098	SU, U

### Motor Graders

Model	Base Power hp (1st gear)	Operating Weight lb	Standard Blade Length ft
12M3	179	42,647	12
12M3 AWD	179	44,614	12
140M3	200	43,950	12
140M3	200	45,917	12
160M3	221	45,547	14
160M3 AWD	221	47,514	14
120M2 AWD	145	41,589	12
120M2	145	39,892	12
12M2 AWD	173	44,349	12
12M2	173	42,383	12
140M2	193	43,686	12
140M2 AWD	193	45,652	12
14M	259	53,738	14
160M2	213	45,283	14
160M2 AWD	213	47,249	14
16M	297	67,338	16
24M	533	145,151	24



### Articulated Trucks

Model	Net Power hp	Operating Weight Empty lb	Rated Payload (tons)
725C	314	51,191	26
730C	367	53,131	31
735B	437	71,758	36
740B	474	75,857	43.5
740B EJ	474	81,536	42



### Single Drum Soil Compactors

Model	Gross Power		Operating Weight		Drum Width	
	hp	kW	lb	kg	in	mm
CS44	100	75	15,961	7240	66	1676
CP44	100	75	16,832	7635	66	1676
CS54B	131	98	23,265	10 555	84	2134
CS56B	157	117	25,346	11 500	84	2134
CP56B	157	117	25,707	11 665	84	2134
CS68B	157	117	31,572	14 325	84	2134
CP68B	157	117	32,370	14 685	84	2134
CS74B	173.7	129.5	35,264	16 000	84	2134
CP74B	173.7	129.5	36,048	16 355	84	2134
CS78B	173.7	129.5	41,214	18 700	84	2134



### Asphalt Compactors

Model	Gross Power		Operating Weight		Drum Width	
	hp	kW	lb	kg	in	mm
CB14	21.6	16.1	3,571	1620	31	800
CB14XW	21.6	16.1	4,057	1840	39	1000
CB14 Full Flush	21.6	16.1	3,528	1600	35	900
					31	800
CB22	33.0	24.6	5,512	2500	39	1000
CB24	33.0	24.6	5,952	2700	47	1200
CB32	33.0	24.6	5,291	2400	47	1200
CB34	46.0	34.1	8,688	3940	51	1300
CB34XW	46.0	34.1	9,259	4200	55	1400
CC34	46.0	34.1	8,090	3670	51	1300
CB54 XW	137.0	102.0	26,230	11 898	79	2000
CB64	137.0	102.0	28,616	12 980	84	2130
CD54	99.5	74.5	20,944	9500	67	1700



### Asphalt Pavers

#### Track Asphalt Pavers

Model	Gross Power	Standard Paving Width (ft)	Max. Operating Weight (lbs)
AP1055E	225	10-19.5	44,558
AP255E	46	4.6-8.5	9921
AP555E	142	8-15.5	39,044
AP655D	174	8.17-16.40	42,252

#### Wheel Asphalt Pavers

Model	Gross Power	Standard Paving Width (ft)	Max. Operating Weight (lbs)
AP1000E	225	10-19.5	43,008
AP500E	142	8-15.5	39,044
AP600D	174	8.17-16.4	40,124

#### Screeds

Model	Weight w/electirc heat (lbs)	Standard Paving Width (ft)	Max. Paving width (ft)
AS3251C	6450	8-15.5	20.17
AS3301C	6450	10-19.5	26.16
AS4251C	8233	8.3-16.3	26.3
AS4252C	7055	8.3-16.3	26.3



### Asphalt Paving Equipment

Model	Gross Power		Operating Tractor Weight		Standard Paving Width	
	hp	kW	lb	kg	ft-in	mm
AP255E	46	34.1	9,920	4500	4'7"	1400
AP500E	142	106	27,760	12 590	8'2"	2400
AP600D	174	129	31,299	14 197	8'0"	2400
AP1000E	225	168	33,352	15 160	10'0"	3000
AP1055E	225	168	36,982	16 810	10'0"	3000



### Cold Planers

Model	Gross Power		Operating Weight	Cutting Width Standard	Max cutting depth
	hp	kW			
PM102	225	165	38,810	40	12
PM102 Wheel	225	165	37,705	40	12
PM200 - 2.0M	575	422	69,445	88	12.6
PM201	650	478	86,360	83	12



### Reclaimers/Stabilizers

Model	Gross Power		Operating Weight	Cutting Width Standard	Max cutting depth
	hp	kW			
RM300	350	257	53,911	96	20
RM500	540	397	62,060	96	20



### Pneumatic Tire Compactors

Model	Gross Power		Operating Weight		Rolling Width	
	hp	kW	lb	kg	in	mm
PS150C	100	75	28,535	12 940	69	1743
PS150C HW	100	75	38,000	17 273	69	1743
PS360C	130	98	55,115	25 000	90	2275